507/21-59-7-23/25

Zoogeographical Characteristics of Shield Louse Fauna (Insecta, Homoptera, Coccoidea) of the Transcarpathian Region

for the territory of the USSR. A considerable place in the cultivated zone is occupied by cultural immigrants - species introduced in fodder plants. Among these are Diaspidiotus perniciosus (Comst), which was introduced into the Transcarpathian region from Western Europe with material for planting. The mass of shield lice spread over the cultivated area and then passed over to the wild tree and shrub species of the lowlands and the foothill belt. There are 6 references, 5 of which are Soviet and 1 French

ASSOCIATION: Institut zoologii AM UkrRGR (Institute of Zoology AS

Hkrssp)

PRESENTED: V.H. Kas'yanenko, Member AS UkrscR

SUBMITTED: January 14, 1959

Card 2/2

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755410013-4"

BORKHSKNIUS, N.S.: TEREZNIKOVA, Yo.M.

Two new species of mealy bugs of the genus Heliococcus Sulc. Insecta, Homoptera, Coccoidea). Zool.zhur. 38 no.3:491-494 Mr 159. (MIRA 12:4)

1. Zoological Institute of the Academy of Sciences of the U.S.S.R. (Leningrad) and Institute of Zoology of the Academy of Sciences of the Ukrainian SSR (Kiyev). (Beregovo District--Mealy bugs) (Khasanskiy District--Mealy bugs)

#### TEREZNIKOVA, Ye.M.

Scale insect (Homoptera, Coccoidea) pests of fruit crops in Transcarpathia. Dop.AN URSR no.1:110-114 '60. (MIRA 13:6)

1. Institut soologii AN USSR. Predstavleno akademikom AN USSR V.A. Kas'yanenko [V.H.Kas'ianenko].
(Transcarpathia---Scale insects)

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755410013-4"

### TEREZNIKOVA, Ye.M. [Tereznykova, IE.M.]

Biology of scale insects (Insecta, Homoptera, Coccoidea) in Transcarpathián Province. Dop.AN URSR no.4:536-539 '60.

1. Institut moologii AN USSR. Predstavleno akademikom AN USSR A.P. Markevichem [O.P.Markevychem].

(Transcarpathia—Scale insects)

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755410013-4"

TEREZNIKOVA, YE. M., CAND BIO SC.I, "FAUNA OF SCALE MALLE AND ARMORED SCALE (COCCOIDEA) OF ZAKARPATSKAYA OBLAST."

KIEV, 1961. (MIN OF HIGHER AND SEC SPEC ED UKSSR, KIEV

URDER OF LENIN STATE UNIV III T. G. SHEVCHENKO). (KL, 3-61, 211).

152

A new species of mealy bugs of the genus Brevennia Goux (Coccoidea, Pseudococcidae). Dop. AN URSR no.1:122-124 62.

1. Institut zoologii AN USPR Predstavleno akademikom AN USPR A.P.Markevichem [Markevych, O.P.]
(Transcarpatiha—Mealy bugs)

Ec of	cologic and geographical groups of coccids (Homoptera, f Ukrainian Polesye. Dop. AN URSR no.11:1527-1529 163.	Coccoldes)
	Institut zoologii AN UkrSSR.	(MIRA 17:12)

TEREZNIKOVA, Ye.M. [Tereznykova, IE.M.]

A new species of mealybugs of the genus Greenicca Borchs. (Goccoidea, Erioccccidae). Dop. AN URSR no.7:957-959 165.

(MIRA 18:8)

1. Institut zoologii AN UkrSSR.

TER-GALUSTOV, S.A., TER-GALUSTOV, S.A.; SANOYLOVICH, S.Ya., nauchnyy redaktor; TOKAR, A.M., tekhnicheskiy redaktor

[Boring and cementing with clay solution for deep-set supports]
Opyt bureniia i betonirovaniia pod glinistym rastvorom dlia opor
glubokogo zalozheniia. Moskva, Gos. izd-vo lit-ry po stroitel'stvu
(MLRA 7:10)
i arkhitekture, 1953. 50 p. [Microfilm]
(Foundations)

TER-GALISTOV, S.A., inshener.

How mathod of building deep foundations, Stroi.prom. 31 no.11:9-13 (MCRA 6:12)
H '53. (Foundations)

TER-GALUSTOV, S.A.

TER-GALUSTOV, S.A.: "Investigation of the problem of deep supports". Moscow, 1955. Min Construction USSR. All-Union Sci Res Inst of Bases and Foundations. (Dissertations for the Degree of Candidate of Technical Sciences).

SO: Knizhnava letopis! No 45, 5 November 1955. Moscow.

TER-GALUSTOV, S., kand.tekhn.nauk; IVANOV, O., ingh.

New method of constructing footings for bridge piers. Avt.dor. 21 no.11:14-15 M '58. (MIRA 11:12)

(Bridges--Foundations and piers)

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755410013-4"

TER-GALUSTOV, Stepan Avetovich, kand. tekhn. nauk; KALMYKOV, N.Ya., red.; MIRONOV, A.V., red. izd-va; LELYUKHIN, A.A., tekhn. red.

[Deep foundations prepared by means of drilling; foundations made by the drilling method using flushing fluids with subsequent concrete processing of holes] Burovye opery glubokogo zelozheniia (opery, vypolniaenye metodom bureniia i betonirovaniia skvazhin pod glinistym rastvorom) Hoskva, Izd-vo H-va komm.khoz. RSFSR, 1961. 126 p. (MIRA 14:5)

TER-GALUSTOV, S.A.; VOROBKOV, L.N.; IVANOV, O.I.

Forces of friction arising between drilling supports and the soil of the wall of bores treated with clay. Osn., fund. i mekh. grun. 3 no.4:5-7 '61. (MIRA 14:8)

KHALIZEV, Ye.P.; TER-GALUSTOV, S.A.; ROGACHEVSKIY, L.I.


Sinking installations in thixotropic jackets. Osn. fund. 1 mekh.
grun. 5 no.3:26-27 '63. (MIRA 17:1)

GENIS, Boris Mikhaylovich; DOKTOR, Lema Shimanovich; TERGAN, Vladimir Semenovich; FREYDRERG, V.Z., nauchnyy red.; CHI-YUN-SHUY, S.N. [Ch'ih Yung-shui, S.N.], red.; DORODNOVA, L.A., tekhn. red.

[Operator of cincular grinding machines] Shlifovshchik na krugloshlifoval'nykh stankakh. Moskva, Proftekhizdat, 1963. 268 p. (MIRA 16:7)

OBNOVLENSKIY, Petr Avenirovich; ZHESTYANIKOV, Vladimir Mikhaylovich; ZARKH, Isaak Moiseyevich; RABINOVICH, Abram Grigor'yevich; SHTRAFUN, Ya.N., kand. tekhn.nauk, retsenzent; TEXGIR. V.S., inzh., retsenzent; SUNSHTEYN, S.I., red.

[Manufacture of automatic control ari remote control equipment] Proizvodstvo apparatury avtomatiki i telemekhaniki.
Moskva, Mashinostroenie, 1964. 402 p. (MIRA 17:10)



BOGDANOV, A.A.; PROKOF'YEV, M.A.; ANTONOVICH, Ye.G.; TERGANOVA, G.V.; ANICIMOVA, V.M.

Structure of nucleotide-peptides in the ribonucleic acid isolated from the pancreas. Biokhimiia 27 no.2:266-272 Mr-Ap '62.

1. Laboratory of Protein Chemistry, Chemical Faculty, State
University, Moscow.
(NUCLEIC ACIDS) (PANCREAS)

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755410013-4"

28.7887 AG HET 1978 AG

BOGDANOV, A.A.; ANTONOVICH, Ye.G.; TERGANOVA, G.V.; PROKOF'YEV, M.A.

Nucleotide-peptides as fragments of a high-plymer ribonucleic acid from the pancreas. Biokhimiia 27 no.3:442-447 My-Je '62.

(MIRA 15:8)

1. Laboratory of Protein Chemistry, Chemical Faculty, State University, Moscow.
(PANCREAS) (NUCLEOTIDES) (NUCLEIC ACIDS) (PEPTIDES)

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755410013-4"

BOGDANOV, A.A.; ANTONOVICH, YO.G.; TERGANOVA, G.V.; PROKOF YEV, M.A.

New data on the structure of nucleotide-peptides, constituents of pancreatic ribonucleic acid. Biokhimia 27 nc.6:1054-1060 N-D '62. (MIRA 17:5)

1. Laboratoriya khimii belka knimicheskogo fakul'teta Gosudarstvennogo universiteta imeni Lomonosova, Moskva.

BOGDANOV, A.A.; ANTONOVICH, Ye.G.; TERGANOVA, G.V.; PROKOF'YEV, M.A.

Alkali-resistant nucleotide-peptide fragments of ribosomal ribonucleic acid from Escherichia coli. Dokl. AN SSSR 150 no.6:1373-1374 Je '63. (MIRA 16:8)

1. Moskovskiy gosudarstvennyy universitet im. M.V.Lomonosova. Predstavleno akademikom A.N.Bolozorskim.
(NUCLEIC ACIDS) (ESCHERICHIA COLI)

TERGANOVA, G.V.; ANTONOVICH, Ye.G.; BOGDANOV, A.A.; PROKOF'YEV, M.A.

Structure and biological role of peptides connected with ribosomal RNA.Dokl. AN SSSR 162 no.5:1191-1193 Je '65. (MIRA 18:7)

1. Moskovskiy gosudarstvennyy universitet. Submitted September 4, 1964.

elipiatore acceptanting

TER-GAZAROV, A.

Use of gas cementation at the Kirewakan Precision Machine-Tool Plant. Prom.Arm. 6 no.7:48 J1 '63. (MIRA 16:9)

1. Glavnyy inzh. Kirovakanskogo zavoda pretsizionnykh stankov.

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755410013-4"

TER-GAZAROV, Arshavir Mikhaylovich; BABAYEV, Akhmed Gadzhiyevich; GULIZADE, M.P., dotsent, kandidat tekhnicheskikh nauk, redaktor; UDALYY, A.M., tekhnicheskiy redaktor, [deceased]

[Manual for the self-propelling drilling unit model AVB.] Spravochnik po samokhodnym buril'nym agregatam tipa AVB. Baku, Aserbaidshan-ukoe gos. izd-vo neftianoi i nauchno-tekhn. lit-ry, 1955. 200 p.

(Petroleum industry--Equipment and supplies) (Boring machinery)

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755410013-4"

TER-GAZAROV, A. Ye.

"Tuberculosis and Malaria. (Clinical Aspects of Pulmonary Tuberculosis in Malaria Patients.)" Dr Med Sci, Central Inst for the Advanced Training of Physicians, Min Health USSR, Moscow, 1954. (KL, No 2, Jan 55)

Survey of Scientific and Technical Dissertations Defended at USSR Higher Educational Institutions (12) SO: Sum. No. 556, 24 Jun 55

TER-GAZAROV, Armenak Yefremovich

Sci Res Inst of Tuberculosis, Min of Health Azerbayzhen SSR. Academic degree of Doctor of Medical Sciences, based on his defense, 8 February 1955, in the Council of the Central Inst for the Advanced Training of Physicians, of his dissertation entitled: "Tuberculosis and Malaria (Clinic for Tuberculosis of the Lungs in Malaria Patients)."

Academic degree and/or title: Doctor of Sciences

SO: Decisions of VAK, List no. 13, 4 June 55, Byulleten' MVO SSSR, No. 15, Aug 56, Moscow, pp 5-24, Uncl. JPRS/NY-537

TER-GAZAROV, A.Yo., prof., ALEXPEROV, M.Sh.

Problems of antibacterial therapy in pulmonary tuberculosis at the Sixth All-Union Congress of Phthisiologists. Azerb.med.zhur. no.1:112-114 F 58 (MIRA 11:12)

VEKILOV, F.M.; POGOSOV, A.G.; TER-GAZAROV, A.Ye., prof., red.; TOROSYAN, R., tekhn. red.

[Organizational problems in the control of tuberculosis] Grganizatsionnye voprosy bor'by s tuberkulezom. Pod red. A.E.Ter-Gazarova. Baku, Azerbaidzhanskoe gos. izd-vo, 1962. 294 p.

(MIRA 15:6)

(TUBERCULOSIS-PREVENTION)

TER-GAZAROV, A.Ye., ALIYEV, Yu.M.

Materials on the study of pulmonary tuberculosis in elderly persons. Trudy TSIU 63:44-48 163. (MIRA 17:9)

1. Kafedra tuberkuleza Azerbaydzhanskogo instituta usover-shenstvovaniya vrachey.

TER-GAZAROV, A.Ye.; ALIYEV, Yu.M.

Data on the study of pulmonary tuberculosis in elderly persons.
Azerb. med. zhur. 40 no.11:12-16 N '63. (MIRA 17:10)

ACCESSION NR: AP4017645

8/0190/64/006/002/0357/0361

AUTHORS: Firsov, A. P.; Tor-Gazaryan, A. D.; Chirkov, N. M.

TITLE: Polymerization of propylene in the presence of d - TiCl3-Zn(C2H5)2.

SOURCE: Vy\*sokomolekulyarny\*ye soyedineniya, v. 6, no. 2, 1964, 357-361

TOPIC TAGS: propylene, polymerization of propylene, polypropylene, polypropylene molecular weight, catalyst, titanium trichloride, diethylzine, chain propagation, chain inhibition, intrinsic viscosity

ABSTRACT: The effect of concentration of propylene, of temperature, and of diethylzinc on the molecular weight of the obtained polypropylene was investigated. The methods used were described in an earlier paper by A. P. Firsov, B. H. Kashporov, and N. M. Chirkov (Vy\*sokomolek. soyed., 6, 348, 1964). Concentrations of 1.20-3.97 mole/liter of propylene were polymerized at 50, 60, and 70C on the system  $\ll$  -TiCl<sub>3</sub>-  $Zn(C_2H_5)_2$ , and the intrinsic viscosities of the obtained polymers determined. It was found that the polymerization coefficient and the intrinsic viscosities increased with increased concentration of propylene, and that they were

Card 1/2

ACCESSION NR: AP4017645

significantly lower when compared with the respective values of polypropylene obtained on the \( -\text{TiCl}\_z - AlR\_z \) and \( -\text{TiCl}\_z - Be(C\_2H\_2)\_2 \) systems. In another set of experiments under identical conditions, except for varying concentrations of diethylzinc, it was found that the viscosities and the polymerization coefficient of polypropylene decreased with increased concentration of diethylzinc. It was calculated that inhibition of chain growth was the predominant reaction in the polymerization of propylene on the \( -\text{TiCl}\_z - \text{Zn(C\_2H\_5)}\_2 \) system. Orig. art. has: 4 tables, 2 charts, and 5 formulas.

ASSOCIATION: Institut khimicheskoy fiziki AN SSSR (Institute of Chemical Physics, Academy of Sciences SSSR)

SUBMITTED: 26Jan63

DATE ACQ: 23Mar64

ENCL: 00

SUB CODE: CH

NO REF SOV: 002

OTHER: 002

Card\_2/2

ACCESSION NR: AP4030353

HER BOTH FORESTONIA SINCE

\$/0190/64/006/003/0417/0420

AUTHORS: Firsov, A. P.; Ter-Gazaryan, A. D.; Chirkov, N. M.

TITLE: Polymerization of propylene in the presence of  $\sim$  - TiCl<sub>3</sub> - Al(C<sub>2</sub>H<sub>5</sub>)<sub>3</sub> - Zn(C<sub>2</sub>H<sub>5</sub>)<sub>2</sub>

SOURCE: Vywsokomolekulyarnywye soyedineniya, v. 6, no. 3, 1964, 417-420

TOPIC TAGS: propylene, propylene polymerization, catalytic system, alpha-titanium trichloride-triethylaluminum, diethylzinc, polypropylene, polymerization rate, catalytic center, polymeric chain

ABSTRACT: The polymerization of propylene was conducted in the presence of  $\sim$  1 TiCl<sub>3</sub>-Al(C<sub>2</sub>H<sub>5</sub>)<sub>3</sub> - Zn(C<sub>2</sub>H<sub>5</sub>)<sub>2</sub>, at 500, and at a monomer pressure of 8.9 atmospheres

in an n-heptane medium (with various concentrations of diethylzinc). It was found that during the initial period the rate of polymerization increased, following which it remained constant. At large concentrations of diethylzinc (0.344-1.05 mole/liter) the length of the increasing period of the polymerization rate and the stationary polymerization rate were practically identical. When diethylzinc was

Card 1/2

ACCESSION NR: AP4030353 added to the  $\alpha$  - TiCl<sub>3</sub> - Al( $C_2H_5$ )<sub>3</sub> system, the polymerization rate of propylene was 3 times lower, and the molecular weight of the polypropylene produced was 20 times smaller. The authors assume that such an inhibiting effect of diethylzinc is due to an exchange of the alkyd group of diethylzinc for a polymeric chain of a catalytic center on the & - TiCl3 - Al(C2H5)3 system. From the records of relationship between the molecular weight of polypropylene and the diethylzinc concentration, the ratio of the constants  $K_{lim}^{Zn}/K_{r}$  was calculated and proved to be independent of the temperature factor. Orig. art. has: 5 formulas and 3 charts. ASSOCIATION: Institut khimicheskoy fiziki AN SSSR (Institute of Chemical Physics AN SSSR)  $\infty$ ENCL: DATE AGQ: 07May64 OhFeb63 SUBMITTED: 004 OTHER: NO REF SOV SUB CODE: CH

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755410013-4"

Card 2/2

Laterane J


TER-GAZARYAN, E.L. [deceased]; BERLIN, A.A.; MACHINSKAYA, R.Ye.; NUBARYAN, T.K.; OGANESYAN, Sh.S.; SAMUSEVA, I.S.

Oxidation of natural gasoline in the liquid phase under pressure.

Neftekhimiia 3 no.6:886-891 N-D 163. (MIRA 17:3)

1. Nauchno-issledovatel'skiy i proyektnyy institut khimii, Korovakan.

JE JAHA	TER-GAZARYAN,	G. N.	PA 3/50Y24
		USER/Ergineering - Generator, Hydro- electric (Contd)  Delta/Delts/Y-connection with a grounded neutral to an idle single-circuit 110-ky line. Lists three system conditions which cause dangerous over voltage.  1/50124	UBSR/Engineering - Generator, Hydro- electric Electricity - Overvoltage, Dynamic Electricity - Overvoltage, Dynamic Experimental Study of Dynamic Overvoltages, G.E. The Gazaryan, Cand Tech Sci, Tbillsi Sci Res Inst Of Constr and Water Power, 3 pp  "Elektrichestro" No 7  Which caused overvoltage. Conducted tests with a hydroelectric generator, 16,500 kvs, 10 kv, con- hydroelectric generator, 16,500 kvs, 10 kv, con- hydroelectric generator, 16,500 kvs, 10 kv, con-
AL ASSPOR			




TER-GAZARYAN, G. N.	8 d d o	4 H H O G B		37T35 Ω.∄	ន្ទ	
	romi ere o 41	Discusse bration 67,000 l Tests, u in earl; balance	21 e,	Meas	9SR/	
	to vibration were Engrs M Submitted 25	# C ~ L D W	"Mlektrichestvo"	"Neasuring Hydroelectric Generato Cand Tech Sci G. N. Ter-Gazaryan,	USSR/Electricity	
	25 × 0	ses results of oscillographic testing of vi- n of 5 umbrella-type generators rated at kva,60 rpm, at a hydroelectric station. using some TsNIEL equipment, were conducted ly 1950 to determine degree of load un- e permissible over long periods with respect	hest	g Hy Sci	tric	
	A. Jan	unts rpm some to	YO,"	Hydroelectric Sci G. N. Ter-(	ity	
	Kuz 52.	elle Tsl	No	lect N. J	4 H	
	litions. Kuz'mina 52.	umbrella-type generators radiumbrella-type generators radiumbrella-type generators radiumbrella-type generators radiumbrella-type generators at a hydroelectric stassome TsNIEL equipment, were some TsNIEL equipment, were to determine degree of load sections at the type of the desible over long periods with the type of type of type of the type of the type of typ	No 7, pp 71-73	er-(	Hydroelectric Generators Vibrations	
		illo pe g hydr equ ne d	J. đđ	Gen Jaza	elec Mon	
	23713 Participating in tests and G. S. Safrazbekyan.	lographic to generators throelectric juipment, wo degree of congressions periods	1-73	Generator Gazaryan, T	tric	
	S	hic tators ctric ctric ctric riods		., 4	Cen	
	Safi	testing rs rated lc static ls with i		Toilisi	erat	
·	in	rated rated static static lere colload u		atio	or o	
237135	237135 tests bekysn.	ing of vi-		, su	Jul	
13	₽·₩ . H	र्म- केव्रे केव्रे			52	

TER-GAZARYAN, G. N., TIMOFFYEV, F. B.

Dynamos

Out-of-belance operation of a heavy dyrogenerator. Elek. sta. 23 no. 7, 1952.

9. Monthly List of Russian Accessions, Library of Congress, November 19512 Uncl.



TER- GAZARYAN, G.N.

Subject : USSR/Electricity

AID P - 1597

Card 1/2

Pub. 27 - 6/27

Author

: Ter-Gazaryan, G. N., Kand. of Tech. Sci., and Khuberyan, K. M., Kand. of Tech. Sci., Tbilisi

Title

: Pole stresses in the fitting keys of armature steel of water-wheel generators.

Periodical: Elektrichestvo, 3, 28-32, Mr 1955

Abstract

The authors analyse the stresses acting upon the welded seams which fasten the keys of the armature steel core with the cross-braces of the generator frame. Operational experience shows cases of breaking away of these seams. The authors describe a method of calculating the stresses acting upon the seams. In this method they account for the circular shape of the cylinder of armature steel, for the various rigidity moduli of the laminated core of armature steel and of the solid crossbraces of the frame. They obtain formulas for the calculation of pole stresses and find that 30 to 35%

Elektrichestvo, 3, 28-32, Mr 1955

AID P - 1597

Card 2/2 Pub. 27 - 6/27

> of these are transmitted upon the fitting keys. drawings and diagrams, 3 tables, 5 Russian references

Institution:

Tbilisi Scientific Research Institute of Construction and

Submitted : D 17, 1954


TER-GAZARYAN, Grigoriy Marimanovich; ERYUCHKOV, I.P., redaktor; FRIDKIN,

A.M., tekhnicheskiy redaktor

[Asymmetric performance of hydraulic generators] Nesimmetrichnyi reshim raboty gidrogeneratorov. Moskva, Gos. energ. izd-vo. 1956.

(MIRA 9:8)







TER\_GAZARYAN, G.N., doktor tokhn. nauk (Tbilisi)

Heating of a hydrogenerator rotor determined by additional losses. Elektrichestvo no.8:37-42 Ag \*63. (MIRA 16:10)

TER-GAZARYAN, G.N., doktor tekhn.nauk; VASHAKIDZE, A.Sh., inzh.

Operation of three-phase salient-pole generators with two phases of the stator being loaded by nominal current. Vest. elektroprom. 34 no.2:22-25 F '63. (MIRA 16:2)

(Electric transformers-Testing)

(Electric generators)

TER-GAZARYAN, G.N., doktor tekhn.nauk

Resistance of rotor and stator circuits of a salient-pole synchronous machine to higher harmonic currents. Elektrichestvo no.11:45-49 N 162. (MIRA 15:11)

1. Tbilisskiy nauchno-issledovatel'skiy institut sooruzheniy i gidroenergetiki.

(Electric machinery, Synchronous)

TER-GAZARYAN, G. N., Doc Tech Sci -- (diss) "Research into the effect of a field of currents of negative feedback on procedures of operation of fixed-pole synchronous machines." Moscow, 1960. 32 pp; (Ministry of Higher and Secondary Specialist Education RSFSR, Moscow Order of Lenin Power Inst); 250 copies; price not given; bibliography on pp 31-32 (32 entries); (KL, 17-60, 150)

KOSTANYAN, G.G., kand.tekhn.nauk; TER-GAZARYAN, G.N., kand.tekhn. nauk. Method for eliminating the inductive effect of two-circuit part-phase transmission on communication lines. Elek. sta. 29 no.6:75-76 Je '58. (HIRA 11:9) (Electric power distribution) (Electric lines) 

MANIKONYANTS, I.G., dektor takhn. nauk, prof. (Moskva); SYROMYATNIKOV, I.A., doktor skhn. nauk, prof. (Moskva); TER-GAZARYAN, G.N., doktor takhn. nauk (Moskva)

Studies of special modes of operation of synchronous machines in the J.S.S.R. Elektrichestvo no.7:5-11 J1 '65. (MIRA 18:7)

TER-GAZARYAN, G.N., doktor tekhn. nauk; SHTERN, Ye.P., inzh.

Operation of a large hydrogenerator in partial phase mode. Elek. sta. 36 no.12:37-39 D '65. (MIRA 18:12)

的最终是整理 有足球 被引动体系的交叉。因为让多数的变形。全部也是有强烈的亲国和名誉被自然的国家和<mark>现代的基础。这是是最终的企业的各种政策的国际的对比较级的主义,但对</mark>

ACC NR. AT6036672

SOURCE CODE: UR/0000/66/000/000/0363/0364

AUTHOR: Ter-Gazaryants, Ye. T.

תן האגו

ORG: none

211

TITLE: Now methods for studying the interaction between the visual and vestibular analyzers / Paper presented at the Conference on Problems of Space Medicine held in Noscow from 24-27 May 1966/

SOURCE: Konferentsiya po problemam kosmicheskoy meditsiny, 1966. Problemy kosmicheskoy meditsiny. (Problems of space medicine); materialy konferentsii, Noscow, 1966, 363-364

TOPIC TAGS: vestibular analyzer, visual analyzer, electroretinography, biologic acceleration effect, coriolis acceleration, electrocardiogram

ABSTRACT: To study the visual-vestibular interrelationship, the Laboratory of Biophysics of the Armenian Academy of Sciences developed new methodological approaches facilitating the recording of an electroretinogram (as an index of the functional condition of the retina) during body displacement in space. One such method applicable to laboratory conditions involves recording the electroretinogram (ERG) and EKG of nonanesthetized animals (frogs and rabbits) located in a screened chamber attached to special swings.

Recording of the above functions during swinging takes place at a distance

Cord 1/2 on an eight-channel electroencephalograph (Steremat, GDR). Artifacts

indicating test chamber motion and light stimuli accompany ERG and EKG profiles.  A second method is used for studying the peripheral component of the insect visual system during centrifugation. This method makes use of a special system of insect clamps and electrode leads which permit rotation (1000 and 1500 rpm) when the animals are in various positions. The slipting contacts assure ERG records for both eyes of the insect (grasshopper) before, during, and after rotation without interruption. Light stimuli are effected by a "blitz" lamp attached to the centrifuge. The profile includes a rotation artifact obtained by means of a photoelement. (N.A. No. 22; ATD Report 66-1167  SUB CODE: 06 / SUBM DATE: 00May66	ACC NR. A16036672		
insect visual system during centrifugation. This method makes use of a special system of insect clamps and electrode leads which permit rotation (1000 and 1500 rpm) when the animals are in various positions. The slip-ring contacts assure ERG records for both eyes of the insect (grasshopper) before, during, and after rotation without interruption. Light stimuli are effected by a "blitz" lamp attached to the centrifuge. The profile includes a rotation artifact obtained by means of a photoelement. [W.A. No. 22; AM Report 66-116]		tion and light stimuli accompany ERG and EKG	2
Report 66-1167	insect visual system during special system of insect cla (1000 and 1500 rpm) when thing contacts assure ERG reperturing, and after respectively.	centrifugation. This method makes use of a amps and electrode leads which permit rotation he animals are in various positions. The slipecords for both eyes of the insect (grasshopper) otation without interruption. Light stimuli are	•
SUB CODE: 06 / SUBM DATE: 00May66	effected by a "blitz" lamp a a rotation artifact obtained	by means of a photoelement. W.A. No. 22; A'D	
	a rotation artifact obtained	by means of a photoelement. W.A. No. 22; A'D	
	a rotation artifact obtained Report 66-1167	by means of a photoelement. Link. No. 22; Alb	
	a rotation artifact obtained Report 66-1167	by means of a photoelement. Link. No. 22; Alb	
	a rotation artifact obtained Report 66-1167	by means of a photoelement. Link. No. 22; Alb	
	a rotation artifact obtained Report 66-1167	by means of a photoelement. Link. No. 22; Alb	

OTARAYEV, I.B.; TER-GEVORKYAN, A.A.; SARAN, A.N.; KALITSEV, G.G.; YESIYEVA, D.M.; YELOSHVILI, Sh.A. Some peculiarities of the epidemiology and clinical picture of the outbreak of a mass food poisoning. Gig. i san. 22 no.12:70-71 D 157 1. Iz kafedry infektsionnykh bolezney Severo-Osetinskogo meditsinskogo instituta i Severo-Ositinskoy respublikanskoy sanitarnoepidemiologicheskoy stantsii. (FOOD POISONING, etiol. & pathogen. Salmonella typhimurium in food (Rus) (SALMONELLA INFECTIONS, typhimurium, food pois. (Rus)

之外是可能的各种的现象分别的。这个,这一是多数是对自然的是否是这种是一种的主义的。这一个不可能是一种的人的人,但是一种人的人,也可能是一种人的人,也可能是一种人的

[Discussions on the fundamentals of the economics of socialistic agricultural production] Besedy po osnovam ekonomiki sotsialisticheskogo sel'skokhoziaistvennogo proizvodstva. Kostroma, Kostromskoe knizhnoe izd-vo, 1960. 220 p. (MIRA 14:12)

1. Zaveduyushchiy kafedroy ekonomiki i organizatsii sel'skokhozyaystvennogo proizvodstva Kostromskogo sel'skokhozyavstvennogo instituta
"Karavayevo" (for Zheludkov).2. Kafedra ekonomiki i organizatsii sel'skokhozyaystvennogo proizvodstva Kostromskogo sel'skokhozyaystvennogo instituta "Karavayevo" (for Tergoyeva, Shimetkina, Lebedeva).

(Agriculture—Economic aspects)

IRLIN, 1.S.; TER-GRIGOROV, V.S.

Effect of meonatal thymectomy on cyst disease induced by Rous sarcoma virus in rats. Vop. virus. 10 no.4:488-490 J1-Ag 165. (MIRA 18:8)

1. Otdel immunologii i onkologii Instituta epidemiologii i mikrobiologii imeni N.F. Gamalei, Moskva.

。 (1995年) 1867年 1978年 1

\*

## TER-GRIGOROV, V.S.; IRLIN, I.S.

Suppression of the resistance of mice to the polyoma virus connected with lymphatic tissue destruction following injection of tissue extracts from sheep suffering from pulmonary adenomatosis, Neoplasma 11 no.11.22 35.64

1. Department of Immunology and Oncology, N.F. Gamaleya Institute of Epidemiology and Microbiology, Moscow, USSR.


TER-	-GATIONITA A	i				
	733 F. ilius.,	arc ili , diagrs., grap atorbaljani.	hs, tables.	ه و آه ما معيود	Baka, A	25 s 2, 29 2760.

· 在大人的对话可能是是一个人的,但是是一个人的,但是是一个人的,但是是一个人的,但是是一个人的,也不是一个人的。

TER-GRIGOROVA, Ye. N.

Ter-Grogorova, Ye. N. "The clinical-anatomic characteristics of lethal cases of epidemic hepatitis in children's institutions in Baku in 1941 and 1942," Trudy Azerbaydzh. nauch.-issled. in-ta okhrany materinstva i mledenchestva i pediatr. kafedr Azerbaydzh. med. -in-ta, Baku, 1949, p. 52-66, (Resume in Azerbaijani).

SO: U-3736, 21 May 53, (Letopis 'Zhurnal 'nykh Statey, No. 17, 1949).



TER-GFIGOROVA, Ye.H.; GAVRYUSHOVA, L.F.; GROMOVA, R.V. (Moskva)

Congenital hyperplasia of the adrenal cortex (adrenogenital syndrome) with disorders of salt metabolism. Pediatriia no.7: (MIRA 14:9) 63-69 '61.

(ADRENAL CORTEX-DISEASES) (SALT IN THE BODY)

APROSINA, Z.G., kand. med. neck; AFANASYYEVA, K.A. kand. med. nauk;

AKHREM-AKHRENOVYIH, A.M., prof.; BLYUGER, A.F., doktor med.

nauk; BCNDALY, Z.A., prof.; VASILENKO, V.Kh., prof.; KIKODZE,

I.A., kand. med. nauk; LINDENBRATEN, L.D., prof.; LOGINOV,

A.S., kand. med. nauk; MANESHOV, Kh.Kh., prof.; NAZARETYAN,

Ye.L., kand. med. nauk; NOGALIER, A.M., prof.; PLOTHIKOV,

H.M., prof.; SEMENDVATEVA, M Ye., kand. med. nauk; TANEYEV,

Yo.M., prof.; TAREYEV, I.Fe., kand. med. nauk;

TER-GRIGOROVA, 12.M., prof.; CHERNYSHEVA, Ye.V., kand. med.

nauk; SHYACTO, L.S., prof.; EYASHIKOV, A.L., prof., zam. otv.

red.; BOGGGLAVSKIY, V.A., red.; SEMENDYAYEVA, M.Ye., red.

[Multivolume margial on internal diseases] Mnogotomnoe rukcvodstvo pi vodorennim bolezniam. Moskva, Meditaina, Vol.5. 1965. 774 r. (MIRA 18:9)

1. Degatvite Mayy chien AMN SSSR (for Tareyev, Ye.M., Vasilenko, hyacnikov).

THE GALLEY LEAVE DESIGN BASET AND COOKEN, B.S. Kenn made newly Extended Leave.

IV Conference of the Morphologists of the German Democratic (MIRA 18:10)

Recubilk. arkie pat. 27 nc. 10:92-94 \*65.

GLEBOY, D.; TER-GRIGORYAN, A.

Ordeal of an inventor. Sov. profesoiusy 4 no.11:39-42 N '56.

(Textile machinery)

(Textile machinery)

TER-GRIGOR'YAN, A. I.

PA 65T85

USER/Petroleum Industry Drills, Oil Well

May 1948

\*Experience in the Use of Kolonkov Chisels With Detuchable Core Lifter," A. I. Ter-Grigor'yan, 4 pp

"Neft Khoz" Vol XXVI, No 5

Extensive tests and practical experience have shown that the Kolonkov chisel with detachable core lifter facilitates and accelerates the Kolonkov drilling process. Although the percentage of core drawn out by the Kolonkov chisel with detachable core lifter is somewhat higher than that of other type chisels, the average percentage (20-40%) cannot be considered satisfactory. 67.185 IC

TER-GRIGOR'TAN, A.I.; KULIYEV, S.M., professor, doktor tekhnicheskikh

TRUE, redaktor; KAUTRLI, A.M., tekhnicheskiy redaktor.

[Theoretical basis of efficient designs for drill-bits] Teoreticheskie osnovy ratsional'noi geometrii burovykh dolot. Baku

Gos.mauchno-tekhn.izd-vo neftianoi i gorno-toplivnoi lit-ry.

Aserbaidshanskoe otd-nie, 1953. 84 p. [Microfilm] (MLRA 9:1)

(Boring machinery)

TER-ORIGORYAN, A.I.; DANIYELYAN, A.A.; SHAPIRO, Z.L.

Equipment for the hermatic sealing of the well head in deep drilling. Neft. khoz. 41 no.2:19-25 F \*63. (MIRA 17:8)

TER\_CRICOFYAN, A.Ya., assistent

Some variants in the muscles of human upper extremities. Trudy Erev.med.inst. no.11:129-133 '60. (MIRA 15:11)


1. Iz kafedry normal'noy anatomii (sav. kafedroy - dotsent A.M.Akopyan) Yerevanskogo meditsinskogo instituta. (MIRCIES) (EXTREMITIES, UPPER)


TER-GRIGORYAN, G.D.

Treatment of bladder fever. Izv. AN Arm. SSR. Biol. nauki 13 no.6: Izv. AN Arm. SSR. Biol. nauki 13 no.6:81-86 Je '60. (MIRA 13:8)

1. Kafedra kozhno-venericheskikh bolezney Yerevanskogo meditsinskogo instituta.

(P:MPHIGUS) (CORTISONE)





# TER-CRICORYAN, M.A. Armenian oyster-shell scale and measures for controlling it. Ixv.AN Arm.SSR.Biol.i sel'khoz.nauki 6 no.9:79-88 '53. (MLRA 9:8) 1. Zoologicheskiy institut AN Armyanskoy SSR. (Armenia--Oyster-shell scale)

中,我们就是一个人,我们就是一个人的人,我们就是一个人的人的人,我们就是一个人的人的人,我们的人的人,我们就是一个人的人的人的人,我们就是一个人的人的人的人的人

# TER-GRIGORYAN, M.A.

Coccides of ornamental plants of Erivan and Leninakan. Izv.AN Arm. SSR.Biol.i sel'khoz.nauki 7 no.3:61-72 Nr '54. (MLRA 9:8)

1. Zoologicheskiy institut AN Arm. SSR.

(Armenia--Scale insects)

(Plants, Ornamental--Diseases and pests)

# TER-GRIGORYAN, N.A. Pruit scale insects of Armenia, Zool, sbor. no.9:33-58 '56. (MIRA 9:8) (Armenia--Scale insects)


BORKHSENIUS, N.S.; THR-GRIGORYAN, M.A.

Mealy buge, parasites of wheat and other grains of the Armenian S.S.R. Izv.AN Arm.SSR.Biol.i sel'khoz.nauki 9 no.4:17-27 Ap '56. (MLRA 9:8)

1. Zoologicheskiy institut Akademii nauk SSSR, Leningrad i Zoologicheskiy institut Akademii nauk Arm. SSR, Yerevan. (Armenia-Mealy bugs) (Grain-Diseases and pests)

- GRIGERLY	AN, M.A.
COUNTRY	P Poseral and Specialized Londony, Insects. Grain rests
ABS. JOUR.	: RZhBiol., No. 22 1958, No. 100004
AUTHOR	ger-kri gryan, see-
IMST.	pare deals our transcoccus terurisoriame moras a arain est un tae Armenian SSR
CRIG. PUB.	\$(20. A) (20. EX, 3.0), i 1, H., 1955, 701.9, 80.),
ALSTP 4CT	the 1950 in two rayons in Armenia there was neare focal intestation of crain cross by the newly described some ice of meets and ab. terprisorianse and ab. kersbergi. The present counce to the wheat was connect by the former, which gives in two concrations. The first powerstion grows from early dune until late only, and the sub-cond from early Adjust the larvae of this generation are on the portions of the plant above ground after 5 Adjust, and are below ground by 20 August). Larvae of need if and life bibernate in the soil. The curation of

	ONTERORY	
;	APO, JOUR.	: RChMicl., Fo. 1959, Fo.
!	AUTHOR IMET. TITUD	
1	Oria, Prs.	:
	167 maga 1850a	the last test of the letter to the entry of the exact- entry test of the entry of the entry of the exact- entry the fer end to the entry of the entry of the en- entry the fer end of the entry of the entry of the entry entry the true of the entry of the entry the entry of the entry of the entry the entry of the entry of the entry to entry the entry of the entry of the entry to entry the entry of the entry of the entry of the entry there exist and entry of the entry there exists a substitute of the entry entry of the entry there exists a substitute of the entry entry of the entry entry of the entry entry of the entry e



# TER-GRIGORYAN', M. A. Goucids of the forests of Armenia, Zool, sbor, no.12:125-161 '62. (Armenia—Scale insects) (Armenia—Forest fauna)

# TER-GRIGORYAN, M.A.

New species of mealy bug (Homoptera, Coccoidea, Pseudococcidae) from Armenia. Dokl. AN Arm. SSR 36 no.2:123-128 '64. (MIRA 17:3)

1. Zoologicheskiy institut AN Armyenskoy SSR. Predstavleno akademikom AN Armyanskoy SSR V.O. Gulkanyanom.

TER-GRIGORYAN, M.A.

New species of mealybugs (Homoptera, Coccoidea, Pseudociccidae) in the mountain steppe and alpine zones of Armenia, Dokl. AN Arm. SSR 38 no.3:181-188 '64. (MIRA 17:6)

1. Zoologicheskiy institut AN Armyanskoy SSR. Predstavleno akademi-kom AN Armyanskoy SSR V.O.Gulkanyanom

TER-GRIGORYAN, M.A.

New species of mealybugs (Homoptera, Coccoidea, Pseudococcidae) from Armenia. Dokl. AN Arm. SSR 38 no.4:245-249 '64.

(MIRA 17:6)

1. Zoologicheskiy institut AN Armyanskoy SSR. Predstavleno akademikom AN Armyanskoy SSR V.O.Gulkanyanom.


APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755410013-4"

# "APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-UUDLJANUUL/JO....

TER-GRIGORYAN, Yu. N.

"The Basic Conditions for the Optimum Operation TER-GRIGORYAN, Yu. N. of Perforators used to Discover Strata in Oil Wells." Min Petroleum Industry USSR. Azerbaydzhan Sci Res Inst for Petroleum Extraction. Baku, 1956. (Dissertation for the Degree of Candidate in Technical Science)

So: Knizhnaya Letopis', No. 18, 1956,



14(5)

80V/93-58-12-5/16

THE THE PROPERTY OF THE PROPER

AUTHOR:

Lantsevitskaya, S. L., Neverova, A.K., Ter-Griforyan, Yu. N.

TITLE:


Deformation of "Gel Cements" During Perforation

(Deformatajya gel'tsementnogo kamnya pri perforatsii)

PERIODICAL: Neftyanoye khozyaystvo, 1958, Nr 12, pp 26-28 (USSR)

The AzNII Institute selected "gel cement" ingredients containing ABSTRACT: Askangel'sk, Kara-Chukhur, and Pontic clays and tested their resistance to deformation during casing string perforation. The experimental method was similar to that employed by Val L. Forsyth [Ref 1] and the perforator was of the APK:-98 type. The results showed: 1) that the gel cement deformed less than the neat cament thanks to the plasticity of the clay additive, 2) that the deformation of both cements increased with the length of the setting time but that the gel cement deformed less (Figs 1-2), 3) that thinning the rings of the gel cement and neat cement to 2" and 1", respectively did not decrease the deformation but increased it, 4) that the deformation of both cements decreased applications of single shots. (Fig 3), and 5) that the deformation of both cements decreased at lower perforation density and higher shot load. They conclude that the deformation of both cements can be decreased by perforating after certain periods of waiting for the setting of the slurry (Table 1), and that gel cement can be used for plugging both shallow and deep wells of 22-120° bottom hole temperature. There are 3 figures, 1 table, and 1 English reference.

Card 1/1



ABRAMYAN, S.L.; AL'TSHEL', S.A. [deceased]; TER-GRIGORTAN, Yu.N.

Effect of gun perforating on the stability of casings. Neft.

khoz. 40 no.11:47-52 N 62. (MIRA 16:7)

(011 well casing)

APPROVED FOR RELEASE: 07/16/2001 CIA-RDP86-00513R001755410013-4"

ABRAMYAN, S.L.; TER-GRIGORYAN, Yu.N.

Multichannel gun perforators. Azerb.neft.khoz. 41 no.3140-42

Mr 162.

(MIRA 15:8)

(Oil well shooting—Equipment and supplies)

AKSELTROD, S.M.; AKHUNDOV, A.M.; TER-GRIGORYAN, Yn.N.

New method for determining the point at which the pipe is fregen. Neft. khoz. Al no. 11:14-18 N '63. (MIRA 17:7)

种的特殊的表面是一种的特别的,但是不可能的是不是一种的主义的,但是一种的主义的,但是一种的主义的主义的,但是是一种的主义的,但是是是一种的主义的,他们是是一种的

VITSENI, Yefim Mikhaylovich; TERE-CRICORYAN, Yu, N., retsenzent;
PERSHINA, Ye.G., ved. red.

[Cumulative perforators used in oil and gas wells] Kumuliativnye perforatory, primeniaemye v neftianykh i gazovykh skvazhinakh. Moskva, Nedra, 1965. 130 p.

(MIRA 18:5)

SOV/5-58-5-10/20

Ter-Grigor yants, L.S., Shutskaya, Ye.K., Temin, L.S., AUTHORS:

Pechenkina, AvP.

Belaya Glina-Solonka Level of the Paleogene of the Stavro-TITLE:

pol' Region (Beloglinsko-solonskiy gorizont paleogena Sta-

就产生,1700区的,由于全国系统中国企业,1800区的

vropol'ya)

Byulleten' Moskovskogo obshchestva ispytateley prirody, PERIODICAL:

Otdel geologicheskiy, 1958 38 F 5, pp 143 - 146 (USSR)

This is a detailed description of various layers of argıles ABSTRACT:

and marles found in the region of Stavropol'. Although these layers bear different names (Belaya Glina, Solonka and Kuma suites) the authors agree with F.P. Panteleyev that all these suites of the Upper-Eocene period were of the same age and that, in the direction of the S. Ergeni transition occurred between adjacent facies. There is 1

map, 1 set of profiles and 1 Soviet reference.

Card 1/1

YUDIN, G.T., SOSON, M.N., TER-GRIGOR'YANTS, L.S.

Facies characteristics and gas potential of the Khadum horizon in central Ciscaucasia. Sov. geol. 3 no.7:59-71 J1 '60. (MIRA 13:8)

l. Moskovskiy institut neftekhimicheskoy i gazovoy promyshlennosti im. I.M. Gubkira i Stavropol'skiy filial Groznenskogo nauchno-issledovatel'skogo neftyanogo instituta. (Caucasus, Northern--Gas, Natural--Geology)

TER ORIGOR'YANTS, L.S.

Stratigraphic correlation of the Maikop sediments of northern
Stavropol Territory. Trudy VNIGNI no.30:263-273 '61.

(MIRA 14:9)


(Stavropol Territory--Geology, Stratigraphic)


TER-GRIGOR'YEVA, Ye.N., ORITSMAN, N.N., TABOLIN, V.A., VEL'TISHCHEV, Yu.Ye.

Material on clinical anatomical characteristics of cerebral and pulmonary forms of generalized cytomegaly. Vop.okh.mat. i det. 3 no.6:17-24 N-D '58 (MIRA 11:12)

1. Iz patologoanatomicheskogo otdeleniya (zav. Ye.W. Ter-Grigorova) detskoy bol'nitsy No.9 imeni F.E. Dzerzhinskogo (glavnyy vrach A.N. Kudrysshova) i kafedry pediatrii (zav. - prof. G.N. Speranskiy) TSentral'nogo instituta usovershenstvovaniya vrachey.

(SALIVARY GLANDS-DISEASES)





TEPEGULOV, A.G. (Kazan')

Bending sandwich plates with an elastaviscus filler. Politoment.

1 no.7:57-62 165. (MIRA 19:8)

1. Kazanskiy khimiko-tekhnologich-skiy institut.